
Cooking with Moblin Core Technologies



Platform Specific UI



Linux Kernel and Drivers

Practical example.

Wondering what your friends have been doing?

On Flickr? On Twitter? On Last.fm? On web service of choice>?


Introducing: Norwood

(a web services viewer)

Preparation: The design.

First find your friendly designer.





The first sketch: Indicates, Involves, Inspires.



GTK+

- Easy to produce consistent, complex (cf. Evolution), constrained interfaces,
- High level: Buttons, list views, file picker, etc,
- No animations, layouting / structure can be too restrictive.

Clutter

- Produce flexible, fast, flowing interfaces,
- Mid-level toolkit: Textures, text, groups, animations,
- Need a toolkit on top to help build more complex interfaces.

Tidy

- Higher level toolkit on top of Clutter,
- Reference toolkit, currently built on Clutter 0.8,
- Contains patterns for building other toolkits on,
- Experimental CSS branch.

But which of these do we choose?


Mix them up.

CC-BY "Baking @ Sheffield" by timparkinson from Flickr


Clutter-GTK

- Provides a Clutter stage inside a GTK widget,
- Pulls in theming and styling information from GTK so Clutter actors can use it,
- Pulls in GTK font configuration.


Norwood 0.0.1



Norwood 0.0.1



The next step: The wireframe.



The wireframe: Elaborates, Educates, Excites.



librest

Sources

Flickr

Twitter

last.fm

Mojito

DBUS

Awesome UI

Pluggable backends, Client-side library, LGPLv2.



RESTful web APIS: http://<host>/foo/cobject>/<function>

But nobody actually does it like this.

librest makes accessing RESTish APIs less painful. (Well it tries to.)

"Cairoesque", readable, powerful API for making queries.

BeautifulSoup style XML parser.

Parses into a tree of nodes with siblings and children.

```
n = rest_xml_node_find (root, "photo");
while (n)
title = rest_xml_node_find(n, "title");
 printf ("%s", title->content);
n = n->next;
```


Support for OAuth two-stage authentication.

Builds on top of libsoup, libxml2. LGPLv2.

Get the code at git.moblin.org

Norwood 0.0.2: Now with real content!

Norwood 0.0.2





The next step: The visual design.



Service



Flickr



last.fm



twitter



Facebook



Surbiton Vs Can..

about 4hrs ago

Nice bokeh

about 5hrs ago

says thank you to everyone for their well wishes.



About to drive to

Norfolk. Dinner with

parents. Book-signing

in Norwich tomorrow. Bye bye London x

DarrenWilson

about 3hrs ago

Sjoerd plus mars... about 6hrs ago

Def Leppard - Pour Some Sugar on Me




where are you moving to? party round your house this week?



nedrichards

about 3hrs ago







Algate about 4hrs ago





is no longer sat in stand still traffic on M11!




Nick Richards

about 6hrs ago

The visual design: Supplies, Summarises, Supports.

Norwood 0.0.3: Now it looks pretty!

Norwood 0.0.3



GTK+ styling from theme with application tweaks.

```
style "sidebar"
{
 base[NORMAL]="#dee2e5"
 text[NORMAL]="#6b7984"
 text[SELECTED]="white"
 font_name="Sans 24"
}
```

class "NwdServiceView" style "sidebar"





Questions?

